

# Dilation and Curettage for Menorrhagia

---

## VERSION CONTROL

<b>Version:</b>	3.0
<b>Ratified by:</b>	Governing Body Meetings in Common
<b>Date ratified:</b>	20 March 2019
<b>Name of originator/author:</b>	Joint CCG Clinical Commissioning Policy Development Group/NHS England
<b>Name of responsible committees:</b>	Clinical Quality and Governance Committee
<b>Date issued:</b>	1 April 2019
<b>Review date:</b>	March 2022

## VERSION HISTORY

<b>Date</b>	<b>Version</b>	<b>Comment / Update</b>
December 2015	1.0	
July 2016	2.0	Approved by Governing Body
March 2019	3.0	Approved by Governing Body meetings in common

## Commissioning policy: Coventry and Rugby CCG (CRCCG)

### Evidence-Based Intervention Commissioning policy:

#### Dilation and Curettage for menorrhagia (D&C)

<b>Treatment</b>	Dilation and Curettage for menorrhagia (D&C)
<b>Indication</b>	Menorrhagia
<b>Treatment:</b>	<ul style="list-style-type: none"><li>• D &amp; C not funded for diagnosis or treatment for heavy menstrual bleeding in women</li></ul> <p>Ultrasound scans and camera tests with sampling of the lining of the womb (hysteroscopy and biopsy) can be used to investigate heavy periods.</p> <p>Medication and intrauterine systems (IUS) can be used to treat heavy periods.</p>
<b>Diagnostic and Procedure Codes</b>	Q103, Q108, Q109
<b>Equality Impact</b>	See NHS England Equality and Health Inequalities – Full Analysis Form